

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	39	"L28" and (remote same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 18:58
L2	1	"6185574".pn. and (remote same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 19:07
L3	2	"6185574".pn. and (program near3 save or stor\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 19:15
L4	1	"6185574".pn. and (list\$1 near3 category or categories)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 19:27
L5	1	"6185574".pn. and list\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 19:31
L6	0	"6185574".pn. and (receiv\$3 same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 19:31
L7	1	"6185574".pn. and result\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 19:32
S1	3952	(receiv\$3 same input\$3) and ((sav\$3 or stor\$3) with document\$1 and document\$1 near process\$3 and (@ad<"20030915"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:28

EAST Search History

S3	348	(receiv\$3 same input\$3) and ((sav\$3 or stor\$3) near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:30
S4	27	(receiv\$3 same input\$3) and (sav\$3 near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:30
S5	729	"707"/\$.ccls. and ((receiv\$3 same input\$3) and ((sav\$3 or stor\$3) with document\$1 and document\$1 near process\$3 and (@ad<"20030915")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:28
S6	960	"715"/\$.ccls. and ((receiv\$3 same input\$3) and ((sav\$3 or stor\$3) with document\$1 and document\$1 near process\$3 and (@ad<"20030915")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:28
S7	269	"707"/\$.ccls. and ((receiv\$3 same input\$3) and ((sav\$3 or stor\$3) with document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:29
S8	303	"715"/\$.ccls. and ((receiv\$3 same input\$3) and ((sav\$3 or stor\$3) with document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:29
S9	109	"707"/\$.ccls. and ((receiv\$3 same input\$3) and ((sav\$3 or stor\$3) near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:30
S10	120	"715"/\$.ccls. and ((receiv\$3 same input\$3) and ((sav\$3 or stor\$3) near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:30

EAST Search History

S11	6	"707"/\$.ccls. and ((receiv\$3 same input\$3) and (sav\$3 near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915"))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:31
S13	0	"707"/\$.ccls. and ((receiv\$3 same input\$3) and (sav\$3 near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915") and (quer\$%3 or search\$3) and (return\$3 same result)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:33
S14	4	"707"/\$.ccls. and ((receiv\$3 same input\$3) and (sav\$3 near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915") and (quer\$3 or search\$3 near result\$13)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:34
S15	921	(receiv\$3 same input\$3) and ((sav\$3 or stor\$3) with document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:09
S16	4	"707"/\$.ccls. and ((receiv\$3 same input\$3) and (sav\$3 near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915") and (quer\$%3 or search\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:20
S17	4	"707"/\$.ccls. and ((receiv\$3 same input\$3) and (sav\$3 near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915") and (quer\$3 or search\$3) and (receiv\$ same result\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:07
S18	1535	receiv\$3 same input same (file or document) same ((sav\$3 or stor\$3) with (name or id or identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:11
S19	1216	S18 and (retriev\$3 same file with name or id or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:12

EAST Search History

S20	292	S18 and (retriev\$3 same file with (name or id or identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:12
S21	175	S20 and ("data store" or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:13
S22	32	S20 and (("data store" or database) and (receiv\$3 same result) and (return\$3 same result))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:31
S23	49451	(receiv\$3 same file or document) and ((sav\$3 or stor\$3) with (name or id))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:34
S24	27923	(receiv\$3 same file or document) and ((sav\$3 or stor\$3) with (name or id)) and (@ad<"20021509")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:40
S25	512	(receiv\$3 same file or document) and ((sav\$3 or stor\$3) with (name or id)) and (@ad<"20021509") and (return\$3 same result\$1 same request\$3 near5 respons\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:42
S26	15	S25 and (location near5 remote same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:42
S27	10	S26 and (user same input)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 17:43

EAST Search History

S28	2	"6185574".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 17:43
S29	1	S28 and (retriev\$3 with id or name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 18:57

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	921	(receiv\$3 same input\$3) and ((sav\$3 or stor\$3) with document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:09
L2	4	"707"/\$.ccls. and ((receiv\$3 same input\$3) and (sav\$3 near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915") and (quer\$%3 or search\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 14:20
L3	4	"707"/\$.ccls. and ((receiv\$3 same input\$3) and (sav\$3 near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915") and (quer\$3 or search\$3) and (receiv\$ same result\$1)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:07
L4	1535	receiv\$3 same input same (file or document) same ((sav\$3 or stor\$3) with (name or id or identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:11
L5	1216	4 and (retriev\$3 same file with name or id or identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:12
L6	292	4 and (retriev\$3 same file with (name or id or identifier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:12
L7	175	6 and ("data store" or database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:13
L8	32	6 and (("data store" or database) and (receiv\$3 same result) and (return\$3 same result))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 15:15

EAST Search History

S1	3952	(receiv\$3 same input\$3) and ((sav\$3 or stor\$3) with document\$1 and document\$1 near process\$3 and (@ad<"20030915"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:28
S3	348	(receiv\$3 same input\$3) and ((sav\$3 or stor\$3) near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:30
S4	27	(receiv\$3 same input\$3) and (sav\$3 near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:30
S5	729	"707"/\$.ccls. and ((receiv\$3 same input\$3) and ((sav\$3 or stor\$3) with document\$1 and document\$1 near process\$3 and (@ad<"20030915")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:28
S6	960	"715"/\$.ccls. and ((receiv\$3 same input\$3) and ((sav\$3 or stor\$3) with document\$1 and document\$1 near process\$3 and (@ad<"20030915")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:28
S7	269	"707"/\$.ccls. and ((receiv\$3 same input\$3) and ((sav\$3 or stor\$3) with document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:29
S8	303	"715"/\$.ccls. and ((receiv\$3 same input\$3) and ((sav\$3 or stor\$3) with document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:29
S9	109	"707"/\$.ccls. and ((receiv\$3 same input\$3) and ((sav\$3 or stor\$3) near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:30

EAST Search History

S10	120	"715"/\$.cccls. and ((receiv\$3 same input\$3) and ((sav\$3 or stor\$3) near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:30
S11	6	"707"/\$.cccls. and ((receiv\$3 same input\$3) and (sav\$3 near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915")))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:31
S13	0	"707"/\$.cccls. and ((receiv\$3 same input\$3) and (sav\$3 near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915") and (quer\$%3 or search\$3) and (return\$3 same result)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:33
S14	4	"707"/\$.cccls. and ((receiv\$3 same input\$3) and (sav\$3 near document\$1 with (name\$1 or filename\$1 or id\$1 or identifier\$1) and document\$1 near process\$3 and (@ad<"20030915") and (quer\$3 or search\$3 near result\$13)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/07 13:34